



Paediatric Nebulisers



Product Catalogue 2015/2016

- ▶ Child friendly design helps encourage therapy compliance
- ▶ lightweight design makes it portable and great for travel
- ▶ Appeal to your child's imagination and make treatments hassle free



NIMO PEDIATRIC MONKEY NEBULIZER (HNK-NBL-MON) TECHNICAL SPECIFICATIONS

Power	AC 220V /50Hz
Power Consumption	60 W
Medication Capacity	8 ml
Particle Size	0.5 to 5µm 80%
MMAD	4.0 um
Sound Level	Below 55 dBA
Average Nebulization Rate	Over 0.25ml/min
Compressor Pressure Range	35 to 50 Psi (241 to 345 KPa / 2.4 to 3.4 bar)
Operating Pressure Range	9 to 16 Psi (62 to 110KPa / 0.6 to 1.10 bar)
Liter Flow Range	5~ 8 lpm
Operating Temperature Range	50°F to 104°F (10°C to 40°C)
Operating Humidity Range	30% to 85% RH
Storage Temperature Range	-13°F to 158°F (-20°C to 70°C)
Storage Humidity Range	10 to 95 % RH
Standard Accessories	Nebulizer Cup, Air Tube, Mouth piece, Filters(5 pcs), Adult mask, Child mask, Carry Bag



NIMO PEDIATRIC NEBULIZER (HNK-NBL-CAR) TECHNICAL SPECIFICATIONS

Power	AC 220V /50Hz
Power Consumption	60 W
Medication Capacity	8 ml
Particle Size	0.5 to 5µm 80%
MMAD	4.0 um
Sound Level	Below 55 dBA
Average Nebulization Rate	Over 0.25ml/min
Compressor Pressure Range	35 to 50 Psi (241 to 345 KPa / 2.4 to 3.4 bar)
Operating Pressure Range	9 to 16 Psi (62 to 110KPa / 0.6 to 1.10 bar)
Liter Flow Range	5~ 8 lpm
Operating Temperature Range	50°F to 104°F (10°C to 40°C)
Operating Humidity Range	30% to 85% RH
Storage Temperature Range	-13°F to 158°F (-20°C to 70°C)
Storage Humidity Range	10 to 95 % RH
Standard Accessories	Nebulizer Cup, Air Tube, Mouth piece, Filters(5 pcs), Adult mask, Child mask, Carry Bag



NIMO PEDIATRIC NEBULIZER (HNK-NBL-FISH) TECHNICAL SPECIFICATIONS

Power	AC 220V /50Hz
Power Consumption	60 W
Medication Capacity	8 ml
Particle Size	0.5 to 5µm 80%
MMAD	4.0 um
Sound Level	Below 55 dBA
Average Nebulization Rate	Over 0.25ml/min
Compressor Pressure Range	35 to 50 Psi (241 to 345 KPa / 2.4 to 3.4 bar)
Operating Pressure Range	9 to 16 Psi (62 to 110KPa / 0.6 to 1.10 bar)
Liter Flow Range	5~ 8 lpm
Operating Temperature Range	50°F to 104°F (10°C to 40°C)
Operating Humidity Range	30% to 85% RH
Storage Temperature Range	-13°F to 158°F (-20°C to 70°C)
Storage Humidity Range	10 to 95 % RH
Standard Accessories	Nebulizer Cup, Air Tube, Mouth piece, Filters(5 pcs), Adult mask, Child mask, Carry Bag

